## Amendments to the Claims:

This listing of claims will replace all prior versions and listings of claims in the application.

## **Listing of Claims:**

1. (Currently Amended) A composition <u>for direct administration to an organism</u> comprising:

a solvent mixture, comprising

a hydrophobic solvent one or more hydrophobic solvents, wherein the total amount of hydrophobic solvent or solvents have a solubility in water of less than 1 wt% and wherein at least 55wt% of the solvent mixture is the hydrophobic solvent and a hydrophilic solvent;

a bioerodible polymer; and

a beneficial agent,

the composition forming a solution, suspension, or gel for direct administration to an organism, wherein at least 55 wt% of the solvent mixture is the hydrophobic solvent.

- 2. (Canceled)
- 3. (Original) The composition of claim 1, wherein at least 90 wt% of the solvent mixture is the hydrophobic solvent.
- 4. (Original) The composition of claim 1, wherein the hydrophobic solvent has a solubility in water of less than 0.1 wt%.
- 5. (Original) The composition of claim 1, wherein the beneficial agent has a concentration from 0.1 mg/ml to 500 mg/ml.
- 6. (Original) The composition of claim 1, wherein the beneficial agent has a concentration from 10 mg/ml to 500 mg/ml.

- 7. (Currently amended) A composition comprising a solution, suspension, or gel comprising:
  - a solvent mixture, comprising
- a hydrophobic solvent, wherein the hydrophobic solvent has a solubility in water of less than 1 wt%; and
  - a hydrophilic solvent;
  - a bioerodible polymer; and
  - a beneficial agent,
- wherein the composition can be injected through a needle having a diameter <u>no</u> greater smaller than that of a 20-gauge needle.
- 8. (Currently amended) The composition of claim 1, wherein the viscosity of the composition is less than or equal to 2000 centipoise.
- 9. (Original) The composition of claim 1, wherein less than 25% of the beneficial agent is released in 24 hours following administration *in vivo*.
- 10. (Currently amended) A composition comprising a solution, suspension, or gel comprising:
  - a solvent mixture, comprising
- a hydrophobic solvent, wherein said hydrophobic solvent has a solubility in water of less than 1 wt%; and
  - a hydrophilic solvent;
  - a bioerodible polymer; and
  - a beneficial agent,
- wherein the hydrophobic solvent is benzyl benzoate, the hydrophilic solvent is benzyl alcohol, the bioerodible polymer is a polylactide, and the beneficial agent is a peptide or protein.

- 11. (Original) The composition of claim 1, wherein the hydrophilic solvent, the hydrophobic solvent, the bioerodible polymer, and the beneficial agent form a suspension.
- 12. (Original) The composition of claim 1, wherein the hydrophilic solvent, the hydrophobic solvent, the bioerodible polymer, and the beneficial agent form a solution.
- 13. (Currently amended) A composition comprising:
  - a solvent mixture, comprising
- a hydrophobic solvent, wherein said hydrophobic solvent has a solubility in water of less than 1 wt%; and
  - a hydrophilic solvent;
  - a bioerodible polymer; and
  - a beneficial agent,

the composition forming a solution, suspension, or gel for direct administration to an organism; and

wherein the viscosity of the composition is less than or equal to 2000 centipoise.

- 14. (Original) The composition of claim 13, wherein at least 55 wt% of the solvent mixture is the hydrophobic solvent.
- 15. (Original) The composition of claim 13, wherein at least 90 wt% of the solvent mixture is the hydrophobic solvent.
- 16. (Original) The composition of claim 13, wherein the hydrophobic solvent has a solubility in water of less than 0.1 wt%.
- 17. (Original) The composition of claim 13, wherein the composition can be injected through a 28-gauge needle.
- 18. (Original) The composition of claim 13, wherein the composition can be injected through a 30-gauge needle.

19. (Original) The composition of claim 13, wherein the viscosity of the composition is less than 500 centipoise.

- 20. (Original) The composition of claim 13, wherein the hydrophobic solvent is benzyl benzoate, the hydrophilic solvent is benzyl alcohol, the bioerodible polymer is polylactide, and the beneficial agent is a peptide or protein.
- 21. (Original) The composition of claim 13, wherein the hydrophilic solvent, the hydrophobic solvent, the bioerodible polymer, and the beneficial agent form a solution.
- 22. (Original) The composition of claim 13, wherein the hydrophilic solvent, the hydrophobic solvent, the bioerodible polymer, and the beneficial agent form a suspension.
- 23. (Currently amended) A composition for administration of a beneficial agent to an organism, comprising:

a solvent mixture, the solvent mixture comprising a hydrophobic solvent and a hydrophilic solvent;

a bioerodible polymer; and

a beneficial agent, wherein the beneficial agent and polymer are dissolved in the solvent mixture, the composition forming a solution, suspension, or gel for direct administration to an organism,

wherein the viscosity of the composition is less than <u>or equal to 2000</u> centipoise, at least 90 wt% of the solvent mixture is the hydrophobic solvent, the hydrophobic solvent has a solubility in water of less than 0.1 wt%, and less than 25% of the beneficial agent is released in 24 hours following administration *in vivo*.

24. (Original) The composition of claim 23, wherein the hydrophobic solvent is benzyl benzoate, the hydrophilic solvent is benzyl alcohol, the bioerodible polymer is polylactide, and the beneficial agent is a peptide or protein.

- 25. (Original) A method of administering a beneficial agent, comprising: injecting the composition of claim 1 into an organism through a needle.
- 26. (Original) The method of claim 25, wherein the needle is a 25-gauge needle.
- 27. (Original) The method of claim 25, wherein the needle is a 28-gauge needle.
- 28. (Original) The method of claim 25, wherein the needle is a 30-gauge needle.
- 29. (Original) A method of administering a beneficial agent, comprising: injecting the composition of claim 13 into an organism through a needle.
- 30. (Original) The method of claim 29, wherein the needle is a 25-gauge needle.
- 31. (Original) The method of claim 29, wherein the needle is a 28-gauge needle.
- 32. (Original) The method of claim 29, wherein the needle is a 30-gauge needle.
- 33. (Original) A method of administering a beneficial agent, comprising: injecting the composition of claim 23 into an organism through a needle.
- 34. (Currently amended) A kit, comprising:
  - a container;
- a hydrophobic solvent, wherein said hydrophobic solvent has a solubility in water of less than 1 wt%;
  - a hydrophilic solvent;
  - a bioerodible polymer; and
  - a beneficial agent,
- wherein the amount of said hydrophobic solvent and said hydrophilic solvent is sufficient together to dissolve all of said polymer and form a solution, suspension, or gel with a viscosity of less than <u>or equal to 2000</u> centipoise for direct administration to an organism.

- 35. (Original) The kit of claim 34, comprising a unit dosage of the beneficial agent.
- 36. (Original) The kit of claim 34, wherein the hydrophobic solvent, the hydrophilic solvent, and the bioerodible polymer are sterile.
- 37. (Original) The kit of claim 34, further comprising at least one syringe.
- 38. (Original) The kit of claim 34, wherein the container comprises a septum.
- 39. (Original) The kit of claim 37, further comprising at least one needle.
- 40. (Original) The kit of claim 39, wherein the beneficial agent, the hydrophobic solvent, the hydrophilic solvent, and the bioerodible polymer, are in said at least one syringe.
- 41. (Previously Presented) A depot formed from the composition of claim 13.
- 42. (Previously Presented) The depot of claim 41, wherein the beneficial agent is suspended within the depot.
- 43. (Previously Presented) The depot of claim 41, wherein the viscosity of the composition is less than 1000 centipoise.
- 44. (Previously Presented) The composition of claim 1, wherein the viscosity of the composition is less than 1000 centipoise.
- 45. (Previously Presented) The composition of claim 7, wherein at least 55 wt% of the solvent mixture is the hydrophobic solvent.
- 46. (Previously Presented) The composition of claim 7, wherein the viscosity of the composition less than 1000 centipoise.
- 47. (Previously Presented) The composition of claim 7, wherein the solution, suspension, or gel can be injected through a 25-gauge needle.

48. (Previously Presented) The composition of claim 13, wherein the viscosity of the composition is less than 1000 centipoise.

- 49. (Previously Presented) The composition of claim 23, wherein the viscosity of the composition is less than 1000 centipoise.
- 50. (Previously Presented) The kit of claim 34, wherein the viscosity of the composition is less than 1000 centipoise.
- 51. (Previously Presented) The composition of claim 10, wherein at least 55 wt% of the solvent mixture is the hydrophobic solvent.
- 52. (Previously Presented) The composition of claim 51, wherein at least 90 wt% of the solvent mixture is the hydrophobic solvent.
- 53. (New) A composition for administration of a beneficial agent to an organism, comprising:

a solvent mixture, the solvent mixture comprising a hydrophobic solvent and a hydrophilic solvent;

a bioerodible polymer; and

a beneficial agent, wherein the beneficial agent and polymer are dissolved in the solvent mixture, the composition forming a solution, suspension, or gel for direct administration to an organism,

wherein the viscosity of the composition is less than 2000 centipoise, at least 90 wt% of the solvent mixture is the hydrophobic solvent, the hydrophobic solvent has a solubility in water of less than 0.1 wt%, and less than 25% of the beneficial agent is released in 24 hours following administration *in vivo*.

54. (New) The composition of claim 53, wherein the hydrophobic solvent is benzyl benzoate, the hydrophilic solvent is benzyl alcohol, the bioerodible polymer is polylactide, and the beneficial agent is a peptide or protein.